

Growth Technology and Optical Properties of Bulk Crystalline Gallium Oxide

D.I. Panov¹, V.A. Spiridonov¹, D.A. Zakgeim^{1,2}, A.V. Kremleva¹, D.A. Bauman¹,
A.E. Romanov^{1,2} and V.E. Bougrov¹

¹ITMO University, Kronverkskiy pr. 49, St. Petersburg, 197101, Russia

²Ioffe Institute, Polytechnicheskaya 26, St. Petersburg, 195251, Russia

Received: July 15, 2020

Corresponding author: [D.I. Panov](#)

Abstract. In this paper we report on the bulk β -Ga₂O₃ crystals growth from the melt. Czochralski technique with different configurations of the growth zone was used. It has been shown that the magnitude of the vertical temperature gradient near the melt/crystal interface is crucial for the stability of the growth process and the quality of the growing crystal. In addition, it is necessary to add oxygen to the atmosphere of the growth chamber for stable crystal growth. The optical properties of the grown β -Ga₂O₃ crystals were investigated.

ACKNOWLEDGEMENTS

This work was supported by the [Russian Science Foundation](#), Project No. 19-19-00686.

REFERENCES

- [1] S. J. Pearton, J. Yang, P. H. Cary, F. Ren, J. Kim, M. J. Tadjer and M. A. Mastro, A review of Ga₂O₃ materials, processing, and devices, *Appl. Phys. Rev.*, 2018, vol. 5, art. 011301.
- [2] S. I. Stepanov, V.I. Nikolaev, V. E. Bougrov and A.E. Romanov, Gallium Oxide: Properties and Applications - a Review, *Rev. Adv. Mater. Sci.*, 2016, vol. 44, no. 1, pp. 63–86.
- [3] Z. Galazka, β -Ga₂O₃ for wide-bandgap electronics and optoelectronics, *Semicond. Sci. Technol.*, 2018, vol. 33, no. 11, art. 113001.
- [4] E. Chikoidze, A. Fellous, A. Perez-Tomas, G. Sauthier, T. Tchelidze, C. Ton-That, T.T. Huynh, M. Phillips, S. Russell, M.R. Jennings, B. Berini, F. Jomard and Y. Dumont, P-type β -gallium oxide : a new perspective for power and optoelectronic devices, *Mater. Today Phys.*, 2017, vol. 3, pp. 118–126.
- [5] Z. Hu, K. Nomoto, W. Li, N. Tanen, K. Sasaki, A. Kuramata, T. Nakamura, T. Jena and H. G. Xing, Enhancement-mode Ga₂O₃ vertical transistors with breakdown voltage > 1 kV, *IEEE Electron Device Lett.*, 2018, vol. 39, no. 6, 869–872.
- [6] Z. Galazka, K. Irmischer, R. Uecker, R. Bertram, M. Pietsch, A. Kwasniewski, M. Naumann, T. Schulz, R. Schewski, D. Klimm and M. Bickermann, On the bulk β -Ga₂O₃ single crystals grown by the Czochralski method, *J. Cryst. Growth*, 2014, vol. 404, pp. 184–191.

- [7] T. Minami, T. Shirai, T. Nakatani and T. Miyata, Electroluminescent Devices with Ga₂O₃:Mn Thin-Film Emitting Layer Prepared by Sol-Gel Process, *Jpn. J. Appl. Phys. Part 2*, 2000, vol. 39, no 6A, pp. L524-L526.
- [8] P.N. Butenko, D.I. Panov, A.V. Kremleva, D.A. Zakgeim, A.V. Nashchekin, I.G. Smirnova, D.A. Bauman, A.E. Romanov and V.E. Bougrov, Czochralski grown (Al_xGa_{1-x})₂O₃ crystals with variable Al content, *Mater. Phys. Mech.*, 2019, vol. 42, no. 6, pp. 802–807.
- [9] A. Kuramata, K. Koshi, S. Watanabe, Y. Yamaoka, T. Masui and S. Yamakoshi, High-quality β-Ga₂O₃ single crystals grown by edge-defined film-fed growth, *Jpn. J. Appl. Phys.*, 2016, vol. 55, art. 1202A2.
- [10] S. Masuya, K. Sasaki, A. Kuramata, S. Yamakoshi, O. Ueda and M. Kasu, Characterization of crystalline defects in β-Ga₂O₃ single crystals grown by edge-defined film-fed growth and halide vapor-phase epitaxy using synchrotron X-ray topography, *Jpn. J. Appl. Phys.*, 2019, vol. 58 055501.
- [11] M. Zinkevich and F. Aldinger, Thermodynamic Assessment of the Gallium-Oxygen System, *J. Amer. Ceramic Soc.*, 2004, vol. 87, no. 4, pp. 683–91.
- [12] Z. Galazka, R. Uecker, K. Irmscher, M. Albrecht, D. Klimm, M. Pietsch, M. Brützmam, R. Bertram, S. Ganschow and R. Fornari, *Cryst. Res. Technol.*, 2010, vol. 45, no. 12, pp. 1229–1236.
- [13] Z. Galazka, R. Uecker, D. Klimm, K. Irmscher, M. Naumann, M. Pietsch, A. Kwasniewski, R. Bertram, S. Ganschow and M. Bickermann, Scaling-Up of Bulk β-Ga₂O₃ Single Crystals by the Czochralski Method, *ECS J. Solid State Sci. Technol.*, 2016, vol. 6, no. 7, Q3007.
- [14] V.N. Maslov, V.I. Nikolaev, V.M. Krymov, V.E. Bugrov and A.E. Romanov, Deposition of β-Ga₂O₃ layers by sublimation on sapphire substrates of different orientations, *Phys. Sol. State*, 2015, vol. 57, pp. 1342–1346.
- [15] N. Arıkan, Z. Charifi, H. Baaziz, S. Uğur, H. Ünver and G. Uğur, Electronic structure, phase stability, and vibrational properties of Ir-based intermetallic compound IrX (X=Al, Sc, and Ga), *J. Phys. Chem. Solids*, 2015, vol. 77, pp. 126–32.
- [16] M. Baldini, Z. Galazka and G. Wagner, Recent progress in the growth of β-Ga₂O₃ for power electronics applications, *Mater. Sci.Semicond. Proc.*, 2018, vol. 78, pp. 132–146.
- [17] Y. Tomm, P. Reiche, D. Klimm and T. Fukuda, Czochralski grown Ga₂O₃ crystals, *J. Cryst. Growth*, 2000, vol. 220, no. 4, pp. 510–514.