

Trends in the Development of Bioresorbable Scaffolds

G.R. Petsukh* , A.V. Podshivalov 

Center of Chemical Engineering, ITMO University, Kronverkskiy av., 49, lit. A, St. Petersburg, 197101, Russia

Received: October 14, 2024

Corresponding author: G.R. Petsukh

Abstract. Currently, biomaterials are increasingly in demand in medicine and are fundamental components of tissue engineering. The necessary factors of these materials to ensure their ability to effectively function in the human body are biocompatibility, bioactivity, bioresorption and non-toxicity. An ideal implant should have a number of physical, chemical and biological characteristics to stimulate cell proliferation and promote tissue formation. Bioresorbable polymers have advantages for tissue engineering applications due to a wide range of mechanical properties combined with sufficient chemical inertness and degradation rate. Given the increasing number of studies in the field of biomaterials for medical applications, the purpose of this review is to examine recently developed implantable materials. In this work, emphasis is placed on the development of the composition of polymers that determine the characteristics of future bioresorbable materials, as well as on the choice of optimal parameters and a method for their preparation.

Citation: Rev. Adv. Mater. Technol., 2024, vol. 6, no. 4, pp. 164–170

View online: <https://doi.org/10.17586/2687-0568-2024-6-4-164-170>

View Table of Contents: <https://reviewsamt.com/issues>

REFERENCES

- [1] *Ageing and health. World Health Organization report for 2022*, Electronic resource, URL: <https://www.who.int/ru/news-room/fact-sheets/detail/ageing-and-health> (accessed 12.10.2024).
- [2] R. Bauersachs, U. Zeymer, J.B. Brière, C. Marre, K. Bowrin, M. Huelsebeck, Burden of coronary artery disease and peripheral artery disease: a literature review, *Cardiovasc. Ther.*, 2019, art. no. 8295054.

- [3] B. Gareb, N.B. Van Bakelen, A. Vissink, R.R.M. Bos, B. Van Minnen, Titanium or biodegradable osteosynthesis in maxillofacial Surgery? In vitro and in vivo performances, *Polymers*, 2022, vol. 14, №. 14, art. no. 2782.
- [4] C. Li, C. Guo, V. Fitzpatrick, A. Ibrahim, M.J. Zwierstra, P. Hanna, A. Lechtig, A. Nazarian, S.J. Lin, D.L. Kaplan, Design of biodegradable, implantable devices towards clinical translation, *Nat. Rev. Mater.*, 2020, vol. 5, no. 1, pp. 61–81.
- [5] M. Maintz, C. Tourbier, M. de Wild, P.C. Cattin, M. Beyer, D. Seiler, P. Honigmann, N. Sharma, F.M. Thieringer, Patient-specific implants made of 3D printed bioresorbable polymers at the point-of-care: material, technology, and scope of surgical application, *3D Print. Med.*, 2024, vol. 10, no. 1, art. no. 13.
- [6] M. Dobrzyńska-Mizera, J.M. Dodda, X. Liu, M. Knitter, R.N. Oosterbeek, P. Salinas, E. Pozo, A.M. Ferreira, E.R. Sadiku, Engineering of Bioresorbable Polymers for Tissue Engineering and Drug Delivery Applications, *Adv. Healthcare Mater.*, 2024, art. no. 2401674.
- [7] M.M. Farag, Recent trends on biomaterials for tissue regeneration applications, *J. Mater. Sci.*, 2023, vol. 58, no. 2, pp. 527–558.
- [8] S. Vach Agocsova, M. Culenova, I. Birova, L. Omanikova, B. Moncmanova, L. Danisovic, S. Ziaran, D. Bakos, P. Alexy, Resorbable Biomaterials Used for 3D Scaffolds in Tissue Engineering: A Review, *Materials*, 2023, vol. 16, no. 12, art. no. 4267.
- [9] H.O.T. Ware, T.Y. Ding, C. Collins, B. Akar, N. Akbari, H. Wang, C. Duan, G. Ameer, C. Sun, In situ formation of micro/nano phase composite for 3D printing clinically relevant bioresorbable stents, *Mater. Today Chem.*, 2022, vol. 26, art. no. 101231.
- [10] K. Szustakiewicz, M. Gazińska, B. Kryszak, M. Grzymajło, J. Pięłowski, R.J. Wiglusz, M. Okamoto, The influence of hydroxyapatite content on properties of poly (L-lactide)/hydroxyapatite porous scaffolds obtained using thermal induced phase separation technique, *Eur. Polym. J.*, 2019, vol. 113, pp. 313–320.
- [11] Y. Yang, J. Zhao, Y. Zhao, L. Wen, X. Yuan, Y. Fan, Formation of porous PLGA scaffolds by a combining method of thermally induced phase separation and porogen leaching, *J. Appl. Polym. Sci.*, 2008, vol. 109, no. 2, pp. 1232–1241.
- [12] J.A. Inzana, D. Olvera, S.M. Fuller, J.P. Kelly, O.A. Graeve, E.M. Schwarz, S.L. Kates, H.A. Awad, 3D printing of composite calcium phosphate and collagen scaffolds for bone regeneration, *Biomaterials*, 2014, vol. 35, no. 13, pp. 4026–4034.
- [13] F. Dini, S.A. Ghaffari, J. Javadpour, H.R. Rezaie, Binder jetting of hydroxyapatite/carboxymethyl chitosan/polyvinylpyrrolidone/dextrin composite: the role of polymeric adhesive and particle size distribution on printability of powders, *J. Mater. Eng. Perform.*, 2022, vol. 31, no. 7, pp. 5801–5811.
- [14] Y.J. Jeong, B. Choi, S. Kim, J. Jo, A. Shanmugasundaram, S. Kang, H. Kim, E. Choi, D.W. Lee, Fully bioresorbable, all-polymer-based, 3D-printed scaffolds with prolonged radiopacity and enhanced durability, *J. Chem. Eng.*, 2024, vol. 494, art. no. 152851.
- [15] G. Ye, X. Zhang, H. Bi, Construction of high-performance and sustainable polylactic acid composites for 3D printing applications with plasticizer, *Int. J. Biol. Macromol.*, 2024, vol. 269, art. no. 132162.
- [16] J. Li, X. Wang, Y. Li, H. Hu, X. Liang, Rheological, thermal, and mechanical properties of poly (butylene succinate) (PBS)/poly (L-lactide) (PLA) fiber biodegradable green composites, *Colloid Polym. Sci.*, 2024, vol. 302, no. 7, pp. 1053–1066.
- [17] N. Jirofti, M. Hashemi, A. Moradi, F. Kalalinia, Fabrication and characterization of 3D printing biocompatible crocin-loaded chitosan/collagen/hydroxyapatite-based scaffolds for bone tissue engineering applications, *Int. J. Biol. Macromol.*, 2023, vol. 252, art. no. 126279.