

## Brittle Fracture of Iridium. How this Plastic Metal Cleaves?

**Peter Panfilov**

Institute of Natural Sciences and Mathematics, Ural Federal University, Lenin Av. 51, Yekaterinburg,  
620000, Russia

Received: October 28, 2019

Corresponding author: [Peter Panfilov](#)

**Abstract.** The refractory platinum group metal iridium is the unique material, insomuch as it exhibits simultaneously two controversial mechanical properties such as the high plasticity and the inclination to the brittle transcrystalline fracture. Although iridium has the face-centered cubic lattice, it meets some empirical cleavage criteria despite considerable plasticity. This is the so called “iridium problem” and it is not solved until now. The review is aimed to the discussion of the experimental data concerning the deformation behavior of iridium and the crack growth in iridium single crystals on the microscopic (in the single crystalline samples stretched on air) and nano- (in the thin foils for transmission electron microscopy) levels. It is shown that cracks in iridium thin foils grow like a crack in such ductile metals as aluminum, copper, and nickel. Cracks in the bulk iridium single crystals behave like either a brittle transcrystalline crack, when the resource of crystal plasticity has been exhausted, or a notch in ductile metal, when the plastic deformation of the sample is possible.

### ACKNOWLEDGEMENTS

The author would like to thank Dr. Alexander Yermakov and Dr. Yuri N. Gornostyrev for fruitful discussions. The [Russian Science Foundation](#) (#18-19-00217) supported this research.

### REFERENCES

- [1] J.F. Knott, *Fundamentals of fracture mechanics*, Butterworths, London, 1973.
- [2] R.W.K. Honeycombe, *The plastic deformation of metals*, Edward Arnold, London, 1968.
- [3] T. Yokobori, *An interdisciplinary approach to fracture and strength of solids*, Wolters-Noordhoff Scientific Publications, Groningen, 1971.

- [4] R.W. Douglass, A. Krier, and R.I. Jaffee, *Battelle Memorial Institute Report NP-10939*, Aug. 1961.
- [5] C.A. Brookes, J.H. Greenwood, and J.L. Routbort, *Brittle fracture in iridium single crystals*, *J. Appl. Phys.*, 1968, vol. 39, no. 5, pp. 2391–2395.
- [6] R.E. MacFarlane, J.A. Rayne, and C.K. Jones, *Temperature dependence of elastic moduli of iridium*, *Phys. Lett.*, 1966, vol. 20, no. 2, pp. 234 – 235.
- [7] R.A. Adamesku, V.A. Barkhatov, and A.V. Yermakov, *Elastic properties of iridium single crystals*, *Vysokochistye Veschestva*, 1990, vol. 3, pp. 219-220 , In Russian.
- [8] S. Crampin, K. Hampel, D.D. Vvedensky, and J.M. MacLaren, *The calculation of stacking fault energies in close-packed metals*, *J. Mater. Res.*, 1990, vol. 5, no.10, pp. 2107 – 2119.
- [9] C.N. Reid and J.L. Routbort, *Malleability and plastic anisotropy of iridium and copper*, *Metall. Trans.*, 1972, vol. 3, no. 9, pp. 2257 – 2260.
- [10] S.S. Hecker, D.L. Rohr, and D.F. Stein, *Brittle fracture in iridium*, *Metall. Trans.*, 1978, vol. 9A, no. 4, pp. 481 – 488.
- [11] C. Gandhi and M.F. Ashby, *Fracture-mechanisms maps for materials, which cleave: f.c.c., b.c.c. and h.c.p. metals and ceramics*, *Acta Metall.*, 1979, vol. 27, no. 9, pp. 1565 – 1602.
- [12] J.R. Rice, *Dislocation nucleation from a crack tip: an analysis based on the Peierls concept*, *J. Mech. Phys. Solids*, 1992, vol. 40, pp. 239-271.
- [13] P. Panfilov, A. Yermakov, V. Dmitriev, and N. Timofeev, *Plastic flow of iridium*, *Platinum Metals Rev.*, 1991, vol. 35, no. 4, pp. 196-200.
- [14] P. Panfilov, *Deformation tracks distribution in iridium single crystals under tension*, *J. Mater. Sci.*, 2007, vol. 42, pp. 8230-8235.
- [15] N.I. Timofeev, A.V. Yermakov, A.V. Dmitriev, and P.E. Panfilov, *Metallurgy and mechanical behavior of iridium*, Urals Branch of Russian Academy of Science, Ekaterinburg, 1996.
- [16] A.V. Yermakov, M.S. Igumnov, and P.E. Panfilov, *Iridium: technology and applications*, Lambert Academic Publishing, Saarbrücken, 2015.
- [17] S.P. Lynch, *Environmentally assisted cracking: overview of evidence for an adsorption-induced localized-slip process*, *Acta Metall.*, 1988, vol. 36, no. 10, pp. 2639 – 2661.
- [18] S.P. Lynch, *Ductile and brittle crack growth: fractography, mechanisms and criteria*, *Materials Forum*, 1988, vol. 11, pp. 268 – 283.
- [19] J.R. Rice and R. Thomson, *Ductile versus brittle behaviour of crystals*, *Phil. Mag.*, 1974, vol. 29, pp. 73-97.
- [20] I.-H. Lin and R. Thomson, *Cleavage, dislocation emission, and shielding for cracks under general loading*, *Acta Metall.*, 1986, vol. 34, no. 2, pp. 187-206.
- [21] A.S. Argon, *Brittle to ductile transition in cleavage fracture*, *Acta Metall.*, 1987, vol. 35, no. 2, pp. 185-196.
- [22] M.L. Jokl, V. Vitek, C.J. McMahon, and P. Burgers, *On the micromechanics of brittle fracture: existing vs injected cracks*, *Acta Metall.*, 1989, vol. 37, no. 1, pp. 87-97.
- [23] S.P. Lynch, *Concerning the anomalous brittle fracture behaviour of iridium*, *Scripta Materialia*, 2007, vol. 57, no. 2, pp. 85-88.
- [24] P. Panfilov, A. Yermakov, and G. Baturin, *The cause of cleavage in iridium single crystals*, *J. Mater. Sci. Lett.*, 1990, vol. 9, no. 10, pp. 1162-1164.
- [25] P. Panfilov, V. Novgorodov, and G. Baturin, *An evolution of microcracks in thin foil of face-centred cubic metal*, *J. Mater. Sci. Lett.*, 1992, vol. 11, no. 4, pp. 229-232.
- [26] F.D. Richardson, *Iridium as high temperature material*, *Platinum Metals Rev.*, 1958, vol. 2, no. 3, pp.83 – 85.
- [27] J.R. Handley, *Increasing application for iridium*, *Platinum Metals Rev.*, 1986, vol. 30, no. 1, pp. 12 – 13.
- [28] L.B. Hunt, *A history of iridium*, *Platinum Metals Rev.*, 1987, vol. 31, no. 1, pp. 32-41. [29] E.A. Franko-Ferreira, G.M. Goodwin, T.G. George, and G.H. Rinehart, *Long life radioisotopic sources encapsulated in platinum metal alloys*, *Platinum Metals Rev.*, 1997, vol. 41, no. 4, pp. 154 – 163.
- [30] E. K. Ohriner, *Processing of Iridium and Iridium Alloys*, *Platinum Metals Rev.*, 2008, vol. 52, no. 3, pp. 186-197.
- [31] J.D. Ragaini, *Iridium refining*, In: *Iridium. Proceedings of the International symposium Sponsored by the SMD division of the Minerals, Metals & Materials Society (TMS) Held During the*

- 2000 TMS Annual Meeting in Nashville, Tennessee, March 12-16, 2000, ed. by Evan K. Ohriner, Richard D. Lanam, Peter Panfilov, and Hiroshi Harada, Publication of TMS, USA, 2000, pp. 333 – 338.
- [32] D.L. Rohr, L.E. Murr, and S.S. Hecker, *Brittle fracture in polycrystalline Ir-0.3 pct W*, Metall. Trans., 1979, vol. 10A, no. 4, pp. 399 – 405.
- [33] B.L. Mordike and C.A. Brookes, *The tensile properties of iridium at high temperatures*, Platinum Metals Rev., 1960, vol. 4, no. 3, pp. 94 – 99.
- [34] R.W. Douglass and R.I. Jaffee, *Elevated-temperature properties of rhodium, iridium and ruthenium*, Proc. ASTM., 1962, vol. 62, pp. 627 – 637.
- [35] G. Reinacher, *Beitrag zur kurzzeitstandfestigkeit von platinmetallen. VI. Iridium*, Metall., 1964, vol. 18, no. 7, pp. 731 – 836.
- [36] C.T. Liu, H. Inouye, and A.C. Schaffhauser, *Effect of thorium additions on metallurgical and mechanical properties of Ir+0.3 pct W alloys*, Metall. Trans., 1981, vol. 12A., no. 6, pp. 993 – 1002.
- [37] P. Panfilov, V. Novgorodov, and A. Yermakov, *Fracture behaviour of polycrystalline iridium under tension in the temperature range 20-1500 °C*, J. Mater. Sci. Lett., 1994, vol. 13, no. 2, pp. 137-141.
- [38] P. Panfilov, *On the inherent fracture mode of iridium at room temperature*, J. Mater. Sci., 2005, vol. 40, no. 22, pp. 5983-5987.
- [39] H. Hieber, B.L. Mordike, and P. Haasen, *Deformation of zone-melted iridium single crystals*, Platinum Metals Rev., 1964, vol. 8, no. 3, pp. 102 – 106.
- [40] P. Haasen, H. Hieber, and B.L. Mordike, *Die plastische verformung von iridium einkristallen*, Zt. Metallkde, 1965, vol. 56, no. 12, pp. 832 – 841.
- [41] A. Yermakov, P. Panfilov, and R. Adamesku, *The main features of plastic deformation of iridium single crystals*, J. Mater. Sci. Lett., 1990, vol. 9, no. 6, pp. 696-697.
- [42] P. Panfilov, A. Yermakov, O.V. Antonova, and V.P. Pilyugin, *Plastic Deformation of Polycrystalline Iridium at Room Temperature*, Platinum Metals Rev., 2009, vol. 53, no. 3, pp. 138-146.
- [43] A. Kelly and G.W. Groves, *Crystallography and crystal defects*, Longman, London, 1970.
- [44] P.B. Hirsch, A. Howie, R.B. Nicholson, D.W. Pashley, and M.J. Whelan, *Electron Microscopy of Thin Crystals*, Butterworths, London, 1965.
- [45] B.R. Lawn, *Physics of Fracture*, J. Am. Ceram. Soc., 1983, vol. 66. No. 2, pp. 83-91.
- [46] J.P. Hirth and J. Lote, *Theory of Dislocations*, McGraw-Hill, New York, 1968.
- [47] V.V. Rybin, *Severe Plastic Deformation and Fracture of Metals*, Metallurgia, Moscow, 1986.
- [48] R.L. Lyles and H.G.F. Wilsdorf, *Microcrack nucleation and fracture in silver crystals*, Acta Metall., 1975, vol. 23, no. 2, pp. 269-277.
- [49] I.M. Robertson and H.K. Birnbaum, *An HVEM study of hydrogen effects on the deformation and fracture of nickel*, Acta Metall., 1986, vol. 34, no. 3, pp. 353-366.
- [50] H.G.F. Wilsdorf, *The role of glide and twinning in the final separation of ruptured gold crystals*, Acta Metall., 1982, vol. 30, no.6, pp. 1247-1258.
- [51] P. Panfilov and A. Yermakov, *On brittle fracture in polycrystalline iridium*, J. Mater. Sci., 2004, vol. 39, no. 14, pp. 4543–4552.
- [52] S.M. Ohr, *An electron-microscopy study of crack tip deformation and its impact on the dislocation theory of fracture*, Mater. Sci. Eng., 1985, vol. 72, no. 1, pp. 1-35.
- [53] S.M. Ohr, *Dislocation-crack interaction*, J. Phys. Chem. Solids, 1987, vol. 48, no. 11, pp. 1007-1014.
- [54] J. Yang, H. Wang, B. Wang, R. Hu, Y. Liu, and X. Luo, *Numerical and experimental study of electron beam floating zone melting of Iridium single crystal*, Journal of Materials Processing Tech., 2017, vol. 250, pp. 239–246.
- [55] B. Wang, S. Li, Y. Wang, H. Zhong, R. Hua, Y. Liu, and X. Luo, *Single-crystal growth of iridium with [100] and [110] orientations by electron beam zone melting*, Vacuum, 2018, vol. 154, pp. 141–147.
- [56] P. Wang, J. Yu, X. Zhou, and J. Chen, *Research Progress on Brittleness of Iridium*, Rare Metal Materials and Engineering, 2015, vol. 44, no. 10, pp. 2363-2367.

- [57] M. Scapin, L. Peroni, C. Torregrosa, A. Perillo-Marccone, M. Calviani, L. Gomez-Pereira, F. Leaux, and M. Meyer, *Experimental results and strength model identification of pure iridium*, International Journal of Impact Engineering, 2017, vol. 106, pp. 191-201.
- [58] J. Yang, H. Wang, R. Hu, S. Li, Y. Liu, and X. Luo, *Anomalous Tensile Strength and Fracture Behavior of Polycrystalline Iridium from Room Temperature to 1600 °C*, Adv. Eng. Mater., 2018, vol. 20, no. 7, pp. 1701114.
- [59] J. Yang, H. Wang, R. Hu, F. Zhang, S. Li, Y. Liu, and X. Luo, *Atomistic Simulation of Orientation-dependent Tension Deformation Behavior of Single Crystal Iridium*, Rare Metal Materials and Engineering, 2019, vol. 48, pp. 1380-1385.

© ITMO University, 2019